INDEX TO VOLUME 39 2004

Index to Authors and Contributors

ABDEL WAHAB, M. M. *Paper* A comparison of failure prediction methods for an adhesively bonded composite beam, 173

ADIBI-ASL, R. *Paper* Stress concentration factor and minimum hub length predictions for hollow tubes with internal and external flanges subjected to axial loading, 685

AFFERRANTE, L. *Special Issue Paper* Frictionally excited thermoelastic instability in the presence of contact resistance, 351

AKBAROV, S. D. *Paper* On the influence of the initial tension of a strip with a rectangular hole on the stress concentration caused by additional loading, 615

ASHCROFT, I. A. *Paper* A comparison of failure prediction methods for an adhesively bonded composite beam, 173. *Paper* A simple model to predict crack growth in bonded joints and laminates under variable-amplitude fatigue, 707

BALDI, A. *Paper* Experimental investigation on contact between cylindrical conformal surfaces, 315

BASU, J. *Paper* Rail behaviour during cooling after hot rolling, 15

BECKER, A. A. *Special Issue Paper* Boundary element analysis of contact problems using inverse techniques—linear and quadratic elements, 371

BEYNON, J. H. *Special Issue Paper* Computer simulation of strain accumulation and hardening for pearlitic rail steel undergoing repeated contact, 383

BONORA, N. *Paper* Identification of the parameters of a non-linear continuum damage mechanics model for ductile failure in metals, 639

BUDDEN, P. J. *Paper* Limit load solutions for thin-walled cylinders with circumferential cracks under combined internal pressure, axial tension and bending, 673

BURCHILL, M. *Paper* Optimal notch shapes for loaded plates, 99. *Paper* Optimal free-form shapes for holes in flat plates under uniaxial and biaxial loading, 595

CAPELLO, E. *Paper* Relaxation of residual stresses induced by turning and shot peening on steels, 285

CARVALHO, L. *Paper* Mandibular strains induced by conventional and novel dental implants, 291

CEN, Z *Paper* Multiple-crack analysis with the quasi-higher-order symmetric Galerkin boundary element method, 147

CHAKRAVORTY, D. *Paper* Finite element bending behaviour of composite hyperbolic paraboloidal shells with various edge conditions, 499

CHAN, L. C. *Paper* Re-etched grids for large-strain measurement in fine-blanking, 423

CHEN, W. Q. *Paper* Stresses in rotating cross-ply laminated hollow cylinders with arbitrary thickness, 437

CHYUAN, S.-W. *Case Study* Computational studies of variations in Poisson's ratio for thermoviscoelastic solid propellant grains, 117

CIAVARELLA, M. *Special Issue Paper* Frictionally excited thermoelastic instability in the presence of contact resistance, 351

CROCOMBE, A. D. *Paper* A comparison of failure prediction methods for an adhesively bonded composite beam, 173

CUCCO, F. *Paper* Stress fields by the symmetric Galerkin boundary element method, 569

DATTOMA, V. *Paper* Numerical evaluation of residual stress relaxation by cyclic load, 663

DAVIES, T. J. *Paper* Determination of the bending stiffness for a spiral strand, 1

DAVOLI, P. *Paper* Relaxation of residual stresses induced by turning and shot peening on steels, 285

De GIORGI, M. *Paper* Numerical evaluation of residual stress relaxation by cyclic load, 663

DINI, D. *Special Issue Paper* A consideration of the effects of the slip displacement on fretting fatigue behaviour, 397. *Technical Note* What level of friction guarantees adhesion in a complete contact?, 549 *Paper* A review of asymptotic procedures in stress analysis: known solutions and their applications, 553

DRINKWATER, B. W. *Special Issue Paper* An ultrasonic approach for contact stress mapping in machine joints and concentrated contacts, 339. *Special Issue Paper* The influence of interface effects on the rocking behaviour of graphite blocks, 359

DWYER-JOYCE, R. S. *Special Issue Paper* An ultrasonic approach for contact stress mapping in machine joints and concentrated contacts, 339

EDWARDS, L. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459

ESLAMI, M. R. *Paper* Elastic–plastic–creep cyclic loading of beams using the Prager kinematic hardening model, 127

FABRIKANT, V. I. *Paper* Application of the generalized images method to contact problems for a transversely isotropic elastic layer, 55

FANTILLI, A. P. *Paper* Strains in steel bars of reinforced concrete elements subjected to repeated loads, 447

FENNER, R. T. *Paper* Three-dimensional shape design optimization of holes and cavities using the boundary element method, 87

FILIPPINI, M. *Paper* Relaxation of residual stresses induced by turning and shot peening on steels, 285

FITZPATRICK, M. E. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459

FLAŠKER, J. *Paper* Critical plane modelling of fatigue initiation under rolling and sliding contact, 225

FLETCHER, D. I. *Special Issue Paper* Computer simulation of strain accumulation and hardening for pearlitic rail steel undergoing repeated contact, 383

FOLETTI, S. *Paper* Relaxation of residual stresses induced by turning and shot peening on steels, 285

FUENMAYOR, F. J. *Paper* Analytic approach to obtain shear traction in a cylindrical contact with reverse slip, 717

GENTILE, D. *Paper* Identification of the parameters of a non-linear continuum damage mechanics model for ductile failure in metals, 639

GINESU, F. *Paper* Experimental investigation on contact between cylindrical conformal surfaces, 315

GOWHARI, A. R. *Paper* Elastic–plastic–creep cyclic loading of beams using the Prager kinematic hardening model, 127

GOWHARI-ANARAKI, A. R. *Paper* Stress concentration factor and minimum hub length predictions for hollow tubes with internal and external flanges subjected to axial loading, 685

GUPTA, D. S. *Paper* Rail behaviour during cooling after hot rolling, 15

© IMechE 2004

HADAVINIA, H. *Paper* Effect of local induction heat treatment on the induced residual stresses in the web region of a welded rail, 271
HAMILTON, R. *Paper* Stress concentration at crossholes in thick cylindrical vessels, 471
HARDY, S. J. *Paper* Stress concentration factor and minimum hub length predictions for hollow tubes with internal and external flanges subjected to axial loading, 685
HAYHURST, D. R. *Paper* Thickness and multi-axial stress creep rupture criteria of the Type IV component of a ferritic steel weld, 729
HAYHURST, R. J. *Paper* Thickness and multi-axial stress creep rupture criteria of the Type IV component of a ferritic steel weld, 729
HE, Z. B. *Paper* Three-dimensional representation of normal stress magnitude with applications to hydrobulge forming, 205
HELLER, M. *Paper* Optimal notch shapes for loaded plates, 99. *Paper* Optimal free-form shapes for holes in flat plates under uniaxial and biaxial loading, 595
HILLS, D. A. *Special Issue Paper* A consideration of the effects of the slip displacement on fretting fatigue behaviour, 397. *Technical Note* What level of friction guarantees adhesion in a complete contact?, 549 *Paper* A review of asymptotic procedures in stress analysis: known solutions and their applications, 553
HOBBS, R. E. *Paper* Prop imperfection effects on the one-way buckling of plates, 631
HOLMES, C. *Special Issue Paper* The influence of interface effects on the rocking behaviour of graphite blocks, 359
HORST, P. *Paper* Failure model for composite materials under quasi-static crushing conditions, 411
HSU, J.-S. *Paper* Re-examination on thermal stresses of bonded structures, 261
HYDE, T. H. *Special Issue Paper* Boundary element analysis of contact problems using inverse techniques—linear and quadratic elements, 371. *Paper* Approximate prediction methods for notch stresses and strains under elastic–plastic and creep conditions, 515

JONES, I. A. *Special Issue Paper* Boundary element analysis of contact problems using inverse techniques—linear and quadratic elements, 371

KANG YONG LEE *Paper* Stresses in rotating cross-ply laminated hollow cylinders with arbitrary thickness, 437
KAPOOR, A. *Special Issue Paper* Computer simulation of strain accumulation and hardening for pearlitic rail steel undergoing repeated contact, 383
KIM, J.-S. *Paper* Applicability of reference stress-based *J* estimates to semi-elliptical surface crack problems, 245
KIM, Y.-J. *Paper* Applicability of reference stress-based *J* estimates to semi-elliptical surface crack problems, 245
KIM, Y.-J. *Paper* Applicability of reference stress-based *J* estimates to semi-elliptical surface crack problems, 245
KOCHEKSERAII, S. B. *Paper* Flexural behaviour of a polyvinyl chloride-lined glass-reinforced plastic composite multi-mitred pipe bend subjected to combined loads: a comparative finite element analysis and experimental case study, 137
KORSUNSKY, A. M. *Paper* A review of asymptotic procedures in stress analysis: known solutions and their applications, 553
KOSEL, F. *Paper* A shrink-fit problem between an eccentric and a solid of hollow shaft annulus, 653
KOTSOVOS, M. D. *Paper* Annular sector plates under in-plane loading: general symbolic solution and its application to the collinear compression case, 299
KOWALEWSKI, Z. L. *Paper* Isochronous creep rupture loci for metals under biaxial stress, 581

LANGDON, G. S. *Paper* Unusual strain rate sensitive behaviour of AISI 316L austenitic stainless steel, 71
LEE, T. C. *Paper* Re-etched grids for large-strain measurement in fine-blanking, 423
LEEN, S. B. *Paper* Approximate prediction methods for notch stresses and strains under elastic–plastic and creep conditions, 515
LEI, Y. *Paper* Limit load solutions for thin-walled cylinders with circumferential cracks under combined internal pressure, axial tension and bending, 673
LEUNG, Y. C. *Paper* Re-etched grids for large-strain measurement in fine-blanking, 423
LEWIS, R. *Special Issue Paper* An ultrasonic approach for contact stress mapping in machine joints and concentrated contacts, 339
LIE, S.-T. *Paper* Multiple-crack analysis with the quasi-higher-order symmetric Galerkin boundary element method, 147
LOO-MORREY, M. *Special Issue Paper* Computer simulation of strain accumulation and hardening for pearlitic rail steel undergoing repeated contact, 383
LYNCH, M. A. *Paper* Cracked piping branch junctions under pressure and in-plane bending: comparison of experimental plastic loads and finite element limit loads, 187

MACKENZIE, D. *Paper* Stress concentration at crossholes in thick cylindrical vessels, 471
MADURAMUTHU, P. *Paper* Three-dimensional shape design optimization of holes and cavities using the boundary element method, 87
MAGADU, A. *Paper* A review of asymptotic procedures in stress analysis: known solutions and their applications, 553
MAHBADI, H. *Paper* Elastic–plastic–creep cyclic loading of beams using the Prager kinematic hardening model, 127
MAKULSAWATUDOM, P. *Paper* Stress concentration at crossholes in thick cylindrical vessels, 471
MANSOURI, H. *Paper* Effect of local induction heat treatment on the induced residual stresses in the web region of a welded rail, 271
MARSHALL, M. B. *Special Issue Paper* An ultrasonic approach for contact stress mapping in machine joints and concentrated contacts, 339
MIGLIORE, M. R. *Paper* On the influence of in-plane displacements on the stability of plate assemblies, 213
MILANA, V *Paper* Stress fields by the symmetric Galerkin boundary element method, 569
MINUTOLO, V. *Paper* On the influence of in-plane displacements on the stability of plate assemblies, 213
MOFFAT, D. G. *Paper* Cracked piping branch junctions under pressure and in-plane bending: comparison of experimental plastic loads and finite element limit loads, 187
MONSHI, A. *Paper* Effect of local induction heat treatment on the induced residual stresses in the web region of a welded rail, 271
MORBARIGAZZI, C. *Paper* Measurement of microslips of subsurface fatigue crack faces due to rolling loads, 161
MORETON, D. N. *Paper* Cracked piping branch junctions under pressure and in-plane bending: comparison of experimental plastic loads and finite element limit loads, 187
MORTHORST, M. *Paper* Failure model for composite materials under quasi-static crushing conditions, 411
MUSTATA, R. *Paper* Thickness and multi-axial stress creep rupture criteria of the Type IV component of a ferritic steel weld, 729

NADRI, B. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459
NOBILE, R. *Paper* Numerical evaluation of residual stress relaxation by cyclic load, 663

ORRÙ, P. F. *Paper* Experimental investigation on contact between cylindrical conformal surfaces, 315
OWEN, R. A. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459

© IMechE 2004

PANZECA, T. *Paper* Stress fields by the symmetric Galerkin boundary element method, 569
PAU, M. *Paper* Experimental investigation on contact between cylindrical conformal surfaces, 315
PAVLOVIĆ, M. N. *Paper* Annular sector plates under in-plane loading: general symbolic solution and its application to the collinear compression case, 299
PAYNE, J. F. B. *Special Issue Paper* The influence of interface effects on the rocking behaviour of graphite blocks, 359
PIRONDI, A. *Paper* Identification of the parameters of a non-linear continuum damage mechanics model for ductile failure in metals, 639
POTRČ, I. *Paper* Critical plane modelling of fatigue initiation under rolling and sliding contact, 225

RAOOF, M. *Paper* Determination of the bending stiffness for a spiral strand, 1
ROBINSON, M. *Paper* Flexural behaviour of a polyvinyl chloride-lined glass-reinforced plastic composite multi-mitred pipe bend subjected to combined loads: a comparative finite element analysis and experimental case study, 137
RUOCCO, E. *Paper* On the influence of in-plane displacements on the stability of plate assemblies, 213

SABESAN, R. *Paper* Approximate prediction methods for notch stresses and strains under elastic–plastic and creep conditions, 515
SACKFIELD, A. *Special Issue Paper* Some analytical results for plane contact problems, 329
SÁEZ, R. C. *Paper* Analytic approach to obtain shear traction in a cylindrical contact with reverse slip, 717
SAHOO, S. *Paper* Finite element bending behaviour of composite hyperbolic paraboloidal shells with various edge conditions, 499
SCHLEYER, G. K. *Paper* Unusual strain rate sensitive behaviour of AISI 316L austenitic stainless steel, 71
SHENOI, R. A. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 1: experiments, 529. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 2: theoretical formulation, 541
SHIM, D.-J. *Paper* Applicability of reference stress-based *J* estimates to semi-elliptical surface crack problems, 245
SIMÕES, J. A. *Paper* Mandibular strains induced by conventional and novel dental implants, 291
SMITH, D. J. *Paper* An integrated approach for measuring near-surface and subsurface residual stress in engineering components, 483
ŠRAML, M. *Paper* Critical plane modelling of fatigue initiation under rolling and sliding contact, 225
SRIMANI, S. L. *Paper* Rail behaviour during cooling after hot rolling, 15
STEFANESCU, D. *Paper* Measurement and prediction of fatigue crack growth from cold expanded holes. Part 1: the effect of fatigue crack growth on cold expansion residual stresses, 25. *Paper* Measurement and prediction of fatigue crack growth from cold expanded holes. Part 2: prediction of fatigue crack growth from cold expanded holes, 41. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459. *Paper* An integrated approach for measuring near-surface and subsurface residual stress in engineering components, 483
STEUWER, A. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459
STUPNICKI, J. *Paper* Measurement of microslips of subsurface fatigue crack faces due to rolling loads, 161

TAHAN, N. *Paper* Annular sector plates under in-plane loading: general symbolic solution and its application to the collinear compression case, 299
TANG, C. Y. *Paper* Re-etched grids for large-strain measurement in fine-blanking, 423
TENG, B. G. *Paper* Three-dimensional representation of normal stress magnitude with applications to hydrobulge forming, 205
TERRAVECCHIA, S. *Paper* Stress fields by the symmetric Galerkin boundary element method, 569
TRUMAN, C. E. *Special Issue Paper* Some analytical results for plane contact problems, 329. *Paper* An integrated approach for measuring near-surface and subsurface residual stress in engineering components, 483
TUR, M. *Paper* Analytic approach to obtain shear traction in a cylindrical contact with reverse slip, 717

VAKILI-TAHAMI, F. *Paper* Thickness and multi-axial stress creep rupture criteria of the Type IV component of a ferritic steel weld, 729
VALLINI, P. *Paper* Strains in steel bars of reinforced concrete elements subjected to repeated loads, 447
VAZ, M. A. *Paper* Mandibular strains induced by conventional and novel dental implants, 291
VIDENIC, T. *Paper* A shrink-fit problem between an eccentric and a solid of hollow shaft annulus, 653

WANG, P. *Special Issue Paper* Boundary element analysis of contact problems using inverse techniques—linear and quadratic elements, 371
WANG, Q. Z. *Paper* Stress concentration factors for an eccentric circular hole in a finite-width strip or in a semi-infinite plate in tension, 625
WANG, S. P. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 1: experiments, 529. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 2: theoretical formulation, 541
WANG, W. B. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 1: experiments, 529. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 2: theoretical formulation, 541
WANG, W.-C. *Paper* Re-examination on thermal stresses of bonded structures, 261
WANG, Z. R. *Paper* Three-dimensional representation of normal stress magnitude with applications to hydrobulge forming, 205
WITHERS, P. J. *Paper* Elastic strains around cracked cold-expanded fastener holes measured using the synchrotron X-ray diffraction technique, 459

XIONG, J. J. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 1: experiments, 529. *Paper* On static and fatigue strength determination of carbon fibre/epoxy composites. Part 2: theoretical formulation, 541

XU, K. *Paper* Multiple-crack analysis with the quasi-higher-order symmetric Galerkin boundary element method, 147

YAHNIOGLU, N. *Paper* On the influence of the initial tension of a strip with a rectangular hole on the stress concentration caused by additional loading, 615
YAN, X. *Paper* Interaction of arbitrary multiple cracks in an infinite plate, 237
YUCEL, A. M. *Paper* On the influence of the initial tension of a strip with a rectangular hole on the stress concentration caused by additional loading, 615

© IMechE 2004

Subject Index

Accumulation, strain, 383
A COMPARISON OF FAILURE PREDICTION METHODS FOR AN ADHESIVELY BONDED COMPOSITE BEAM, *Paper*, 173
A CONSIDERATION OF THE EFFECTS OF THE SLIP DISPLACEMENT ON FRETTING FATIGUE BEHAVIOUR, *Special Issue Paper*, 397
Additional loading, 615
Adhesion, 549
Adhesively bonded composite beam, 173
AISI 316L austenitic stainless steel, 71
Analysis:
  boundary element, 371
  comparative finite element, 137
  multiple-crack, 147
  stress, 553
Analytical results, 329
ANALYTIC APPROACH TO OBTAIN SHEAR TRACTION IN A CYLINDRICAL CONTACT WITH REVERSE SLIP, *Paper*, 717
AN INTEGRATED APPROACH FOR MEASURING NEAR-SURFACE AND SUBSURFACE RESIDUAL STRESS IN ENGINEERING COMPONENTS, *Paper*, 483
Annular sector plates, 299
ANNULAR SECTOR PLATES UNDER IN-PLANE LOADING: GENERAL SYMBOLIC SOLUTION AND ITS APPLICATION TO THE COLLINEAR COMPRESSION CASE, *Paper*, 299
Annulus, eccentric and hollow shaft, 653
AN ULTRASONIC APPROACH FOR CONTACT STRESS MAPPING IN MACHINE JOINTS AND CONCENTRATED CONTACTS, *Special Issue paper*, 339
APPLICABILITY OF REFERENCE STRESS-BASED *J* ESTIMATES TO SEMI-ELLIPTICAL SURFACE CRACK PROBLEMS, *Paper*, 245
Application:
  of the generalized images method, 55
  to hydrobulge forming, 205
  to the collinear compression case, 299
APPLICATION OF THE GENERALIZED IMAGES METHOD TO CONTACT PROBLEMS FOR A TRANSVERSELY ISOTROPIC ELASTIC LAYER, *Paper*, 55
Approach:
  analytic, 717
  integrated, 483
  ultrasonic, 339
Approximate prediction methods, 515
APPROXIMATE PREDICTION METHODS FOR NOTCH STRESSES AND STRAINS UNDER ELASTIC–PLASTIC AND CREEP CONDITIONS, *Paper*, 515
Arbitrary multiple cracks, 237
Arbitrary thickness, 437
A REVIEW OF ASYMPTOTIC PROCEDURES IN STRESS ANALYSIS: KNOWN SOLUTIONS AND THEIR APPLICATIONS, *Paper*, 553
A SHRINK-FIT PROBLEM BETWEEN AN ECCENTRIC AND A SOLID OF HOLLOW SHAFT ANNULUS, *Paper*, 653
A SIMPLE MODEL TO PREDICT CRACK GROWTH IN BONDED JOINTS AND LAMINATES UNDER VARIABLE-AMPLITUDE FATIGUE, *Paper*, 707
Assemblies, plate, 213
Asymptotic procedures, 553
Axial loading, 685
Axial tension, 673

Bars, steel, 447
Beam(s), 127:
  adhesively bonded composite, 173
Behaviours:
  finite element bending, 499
  flexural, 137
  fretting fatigue, 397
  rail, 15
  rocking, 359
  unusual strain rate sensitive, 71
Bend, multi-mitred pipe, 137
Bending, 673:
  behaviour, finite element, 499
  in-plane, 187
  stiffness, 1
Biaxial loading, 595
Biaxial stress, 581
Blocks, graphite, 359
Bonded composite beam, adhesively, 173
Bonded joints, 707
Bonded structures, 261
BOUNDARY ELEMENT ANALYSIS OF CONTACT PROBLEMS USING INVERSE TECHNIQUES—LINEAR AND QUADRATIC ELEMENTS, *Special Issue Paper*, 371
Boundary element method, 87:
  quasi-higher-order symmetric Galerkin, 147
  symmetric Galerkin, 569
Branch junctions, cracked piping, 187
Buckling, one-way, 631

Carbon fibre/epoxy composites, 529, 541
Case study, experimental, 137
Cavities, 87
Circular hole, eccentric, 625
Circumferential cracks, 673
Concentration:
  factor(s), stress, 625, 685
  stress, 471, 615
Cold-expanded:
  fastener holes, cracked, 459
  holes, 25, 41
Cold expansion, 25, 41
Collinear compression, 299
Combined internal pressure, 673
Combined loads, 137
Comparative finite element analysis, 137
Comparison:
  of experimental plastic loads and finite element limit loads, 187
  of failure prediction methods, 173
Complete contact, 549
Component(s):
  engineering, 483
  Type IV, 729
Composite(s):
  beam, adhesively bonded, 173
  carbon fibre/epoxy, 529, 541
  hyperbolic paraboloidal shells, 499
  materials, 411
  polyvinyl chloride-lined glass-reinforced plastic, 137
Compression, collinear, 299
COMPUTATIONAL STUDIES OF VARIATIONS IN POISSON'S RATIO FOR THERMOVISCOELASTIC SOLID PROPELLANT GRAINS, *Case Study*, 117
COMPUTER SIMULATION OF STRAIN ACCUMULATION AND HARDENING FOR PEARLITIC RAIL STEEL UNDERGOING REPEATED CONTACT, *Special Issue Paper*, 383

© IMechE 2004

Conditions:
creep, 515
edge, 499
elastic–plastic, 515
quasi-static crushing, 411
Conformal surfaces, cylindrical, 315
Contact, 315:
concentrated, 339
complete, 549
cylindrical, 717
problems, 55, 371
problems, plane, 329
repeated, 383
resistance, 351
sliding, 225
stress mapping, 339
Continuum damage mechanics model, non-linear, 639
Conventional dental implants, 291
Cooling, 15
CORRIGENDUM (An ultrasonic approach for contact stress mapping in machine joints and concentrated contacts, by M. B. Marshall, R. Lewis, B. W. Drinkwater and R. S. Dwyer-Joyce, *Journal of Strain Analysis*, Vol. 39, No. 4, July 2004, p. 339), 745
Crack(s):
arbitary multiple, 237
circumferential, 673
faces, subsurface fatigue, 161
fatigue, 25, 41
growth, 707
problems, semi-elliptical surface, 245
Cracked cold-expanded fastener holes, 459
CRACKED PIPING BRANCH JUNCTIONS UNDER PRESSURE AND IN-PLANE BENDING: COMPARISON OF EXPERIMENTAL PLASTIC LOADS AND FINITE ELEMENT LIMIT LOADS, *Paper*, 187
Creep conditions, 515
Creep rupture:
criteria, multi-axial stress, 729
loci, isochronous, 581
Criteria, thickness and multi-axial stress creep rupture, 729
CRITICAL PLANE MODELLING OF FATIGUE INITIATION UNDER ROLLING AND SLIDING CONTACT, *Paper*, 225
Crossholes, 471
Cross-ply laminated hollow cylinders, rotating, 437
Crushing conditions, quasi-static, 411
Cyclic load, 663
Cyclic loading, elastic–plastic–creep, 127
Cylinders:
rotating cross-ply laminated hollow, 437
thin-walled, 673
Cylindrical:
conformal surfaces, 315
contact, 717
vessels, thick, 471

Damage mechanics model, non-linear continuum, 639
Dental implants, conventional and novel, 291
Design optimization, three-dimensional shape, 87
Determination:
of bending stiffness, 1
static and fatigue strength, 529, 541
DETERMINATION OF THE BENDING STIFFNESS FOR A SPIRAL STRAND, *Paper*, 1
Diffraction technique, synchrotron X-ray, 459
Displacement(s):
in-plane, 213
slip, 397
Ductile failure, 639

Eccentric annulus, 653
Eccentric circular hole, 625
Edge conditions, 499
Effect(s):
interface, 359
of fatigue crack growth, 25
of local induction heat treatment, 271
prop imperfection, 631
EFFECT OF LOCAL INDUCTION HEAT TREATMENT ON THE INDUCED RESIDUAL STRESSES IN THE WEB REGION OF A WELDED RAIL, *Paper*, 271
Elastic:
layer, transversely isotropic, 55
–plastic conditions, 515
–plastic–creep cyclic loading, 127
strains, 459
ELASTIC–PLASTIC–CREEP CYCLIC LOADING OF BEAMS USING THE PRAGER KINEMATIC HARDENING MODEL, *Paper*, 127
ELASTIC STRAINS AROUND CRACKED COLD-EXPANDED FASTENER HOLES MEASURED USING THE SYNCHROTRON X-RAY DIFFRACTION TECHNIQUE, *Paper*, 459
Elements:
linear and quadratic, 371
reinforced concrete, 447
Engineering components, 483
Estimates, reference stress-based J, 245
Evaluation, numerical, 663
Expanded holes, cold, 25, 41
Experimental:
case study, 137
investigation on contact, 315
plastic loads, 187
EXPERIMENTAL INVESTIGATION ON CONTACT BETWEEN CYLINDRICAL CONFORMAL SURFACES, *Paper*, 315
Experiments, 529
External flanges, 685

Faces, subsurface fatigue crack, 161
Factor(s), stress concentration, 625, 685
Failure:
ductile, 639
model, 411
prediction methods, 173
FAILURE MODEL FOR COMPOSITE MATERIALS UNDER QUASI-STATIC CRUSHING CONDITIONS, *Paper*, 411
Fastener holes, cracked cold-expanded, 459
Fatigue:
behaviour, fretting, 397
crack faces, subsurface, 161
crack growth, 25, 41
effect of, 25
initiation, 225
prediction of, 41
strength determination, 529, 541
variable-amplitude, 707
Ferritic steel weld, 729
Fields, stress, 569
Fine-blanking, 423
Finite element:
analysis, comparative, 137
bending behaviour, 499
limit loads, 187
FINITE ELEMENT BENDING BEHAVIOUR OF COMPOSITE HYPERBOLIC PARABOLOIDAL SHELLS WITH VARIOUS EDGE CONDITIONS, *Paper*, 499
Finite-width strip, 625
Flanges, internal and external, 685
Flat plates, 595
Flexural behaviour, 137

© IMechE 2004

FLEXURAL BEHAVIOUR OF A POLYVINYL CHLORIDE-LINED GLASS-REINFORCED PLASTIC COMPOSITE MULTI-MITRED PIPE BEND SUBJECTED TO COMBINED LOADS: A COMPARATIVE FINITE ELEMENT ANALYSIS AND EXPERIMENTAL CASE STUDY, *Paper*, 137
Forming, hydrobulge, 205
Formulation, theoretical, 541
Free-form shapes, optimal, 595
Fretting fatigue behaviour, 397
Friction, 549
Frictionally excited thermoelastic instability, 351
FRICTIONALLY EXCITED THERMOELASTIC INSTABILITY IN THE PRESENCE OF CONTACT RESISTANCE, *Special Issue Paper*, 351

Galerkin foundary element method:
  quasi-higher-order symmetric, 147
  symmetric, 569
Generalized images method, 55
General symbolic solution, 299
Glass-reinforced plastic composite, polyvinyl chloride-lined, 137
Grains, thermoviscoelastic solid propellant, 117
Graphite blocks, 359
Grids, re-etched, 423
Growth, crack, 707

Hardening, 383:
  model, Prager kinematic, 127
Heat treatment, local induction, 271
Hole(s), 87, 595:
  cold expanded, 25, 41
  cracked cold-expanded fastener, 459
  eccentric circular, 625
  rectangular, 615
Hollow cylinders, rotating cross-ply laminated, 437
Hollow shaft annulus, 653
Hollow tubes, 685
Hot rolling, 15
Hub length predictions, minimum, 685
Hydrobulge forming, 205
Hyperbolic paraboloidal shells, composite, 499

IDENTIFICATION OF THE PARAMETERS OF A NON-LINEAR CONTINUUM DAMAGE MECHANICS MODEL FOR DUCTILE FAILURE IN METALS, *Paper*, 639
Images, generalized, 55
Imperfection effects, prop, 631
Implants, conventional and novel dental, 291
Induced residual stresses, 271
Induction heat treatment, local, 271
Infinite plate, 237
Influence:
  of in-plane displacements, 213
  of interface effects, 359
  of the initial tension, 615
Initial tension, 615
Initiation, fatigue, 225
In-plane:
  bending, 187
  displacements, 213
  loading, 299
Instability, frictionally excited thermoelastic, 351
Integrated approach, 483
Interaction of arbitrary multiple cracks, 237
INTERACTION OF ARBITRARY MULTIPLE CRACKS IN AN INFINITE PLATE, *Paper*, 237
Interface effects, 359
Internal flanges, 685
Internal pressure, combined, 673
Inverse techniques, 371
Isochronous creep rupture loci, 581

ISOCHRONOUS CREEP RUPTURE LOCI FOR METALS UNDER BIAXIAL STRESS, *Paper*, 581
Isotropic elastic layer, transversely, 55

J estimates, reference stress-based, 245
Joints:
  bonded, 707
  machine, 339
Junctions, cracked piping branch, 187

Kinematic hardening model, Prager, 127

Laminated hollow cylinders, rotating cross-ply, 437
Laminates, 707
Large-strain measurement, 423
Layer, transversely isotropic elastic, 55
Limit load:
  finite element, 187
  solutions, 673
LIMIT LOAD SOLUTIONS FOR THIN-WALLED CYLINDERS WITH CIRCUMFERENTIAL CRACKS UNDER COMBINED INTERNAL PRESSURE, AXIAL TENSION AND BENDING, *Paper*, 673
Linear elements, 371
Load(s):
  combined, 137
  cyclic, 663
  experimental plastic, 187
  finite element limit, 187
  repeated, 447
  rolling, 161
  solutions, limit, 673
Loaded plates, 99
Loading:
  additional, 615
  axial, 685
  biaxial, 595
  in-plane, 299
  uniaxial, 595
Local induction heat treatment, 271
Loci, isochronous creep rupture, 581

Machine joints, 339
Magnitude, normal stress, 205
Mandibular strains, 291
MANDIBULAR STRAINS INDUCED BY CONVENTIONAL AND NOVEL DENTAL IMPLANTS, *Paper*, 291
Materials, composite, 411
Measurement:
  large-strain, 423
  of fatigue crack growth, 25, 41
  of microslips, 161
MEASUREMENT AND PREDICTION OF FATIGUE CRACK GROWTH FROM COLD EXPANDED HOLES. PART 1: THE EFFECT OF FATIGUE CRACK GROWTH ON COLD EXPANSION RESIDUAL STRESSES, *Paper*, 25
MEASUREMENT AND PREDICTION OF FATIGUE CRACK GROWTH FROM COLD EXPANDED HOLES. PART 2: PREDICTION OF FATIGUE CRACK GROWTH FROM COLD EXPANDED HOLES, *Paper*, 41
MEASUREMENT OF MICROSLIPS OF SUBSURFACE FATIGUE CRACK FACES DUE TO ROLLING LOADS, *Paper*, 161
Mechanics model, non-linear continuum damage, 639
Metals, 581, 639
Method(s):
  approximate prediction, 515
  boundary element, 87
  failure prediction, 173

© IMechE 2004

generalized images, 55
quasi-higher-order symmetric Galerkin boundary elemen:, 147
symmetric Galerkin boundary element, 569
Microslips, measurement of, 161
Minimum hub length predictions, 685
Model:
failure, 411
non-linear continuum damage mechanics, 639
Prager kinematic hardening, 127
Modelling, critical plane, 225
Multi-axial stress creep rupture criteria, 729
Multiple-crack analysis, 147
MULTIPLE-CRACK ANALYSIS WITH THE QUASI-HIGHER-ORDER SYMMETRIC GALERKIN BOUNDARY ELEMENT METHOD, *Paper*, 147
Multiple cracks, arbitrary, 237

Near-surface residual stress, 483
Non-linear continuum damage mechanics model, 639
Normal stress magnitude, 205
Notch shapes, optimal, 99
Notch stresses and strains, 515
Novel dental implants, 291
NUMERICAL EVALUATION OF RESIDUAL STRESS RELAXATION BY CYCLIC LOAD, *Paper*, 663

One-way buckling, 631
ON STATIC AND FATIGUE STRENGTH DETERMINATION OF CARBON FIBRE/EPOXY COMPOSITES. PART 1: EXPERIMENTS, *Paper*, 529
ON STATIC AND FATIGUE STRENGTH DETERMINATION OF CARBON FIBRE/EPOXY COMPOSITES. PART 2: THEORETICAL FORMULATION, *Paper*, 541
ON THE INFLUENCE OF IN-PLANE DISPLACEMENTS ON THE STABILITY OF PLATE ASSEMBLIES, *Paper*, 213
ON THE INFLUENCE OF THE INITIAL TENSION OF A STRIP WITH A RECTANGULAR HOLE ON THE STRESS CONCENTRATION CAUSED BY ADDITIONAL LOADING, *Paper*, 615
OPTIMAL FREE-FORM SHAPES FOR HOLES IN FLAT PLATES UNDER UNIAXIAL AND BIAXIAL LOADING, *Paper*, 595
OPTIMAL NOTCH SHAPES FOR LOADED PLATES, *Paper*, 99
Optimization, three-dimensional shape design, 87

Paraboloidal shells, composite hyperbolic, 499
Parameters, 639
Pearlitic rail steel, 383
Peening, shot, 285
Pipe bend, multi-mitred, 137
Piping branch junctions, cracked, 187
Plane contact problems, 329
Plane modelling, critical, 225
Plastic loads, experimental, 187
Plate(s), 631:
annular sector, 299
assemblies, 213
flat, 595
infinite, 237
loaded, 99
semi-infinite, 625
Poisson's ratio, variations in, 117
Polyvinyl chloride-lined glass-reinforced plastic composite, 137
Prager kinematic hardening model, 127
Prediction(s):
minimum hub length, 685
of fatigue crack growth, 25, 41
Prediction methods:
approximate, 515
finite, 173
Pressure, 187:
combined internal, 673
Problem(s):
contact, 55, 371
plane contact, 329
semi-elliptical surface crack, 245
shrink-fit, 653
Procedures, asymptotic, 553
Propellant grains, thermoviscoelastic solid, 117
Prop imperfection effects, 631
PROP IMPERFECTION EFFECTS ON THE ONE-WAY BUCKLING OF PLATES, *Paper*, 631

Quadratic elements, 371
Quasi-higher-order symmetric Galerkin boundary element method, 147
Quasi-static crushing conditions, 411

Rail, welded, 271
Rail behaviour, 15
RAIL BEHAVIOUR DURING COOLING AFTER HOT ROLLING, *Paper*, 15
Rail steel, pearlitic, 383
Rectangular hole, 615
Re-etched grids, 423
RE-ETCHED GRIDS FOR LARGE-STRAIN MEASUREMENT IN FINE-BLANKING, *Paper*, 423
Re-examination on thermal stresses, 261
RE-EXAMINATION ON THERMAL STRESSES ON BONDED STRUCTURES, *Paper*, 261
Reference stress-based J estimates, 245
Region, web, 271
Reinforced concrete elements, 447
Relaxation:
of residual stresses, 285
residual stress, 663
RELAXATION OF RESIDUAL STRESSES INDUCED BY TURNING AND SHOT PEENING ON STEELS, *Paper*, 285
Repeated loads, 447
Representation, three-dimensional, 205
Residual stress(es), 25:
induced, 271
near-surface, 483
relaxation, 285, 663
subsurface, 483
Resistance, contact, 351
Results, analytical, 329
Reverse slip, 717
Review of asymptotic procedures, 553
Rocking behaviour, 359
Rolling, 225:
hot, 15
loads, 161
Rotating cross-ply laminated hollow cylinders, 437
Rupture:
criteria, multi-axial stress creep, 729
loci, isochronous creep, 581

Sector plates, annular, 299
Semi-elliptical surface crack problems, 245
Semi-infinite plate, 625
Sensitive behaviour, strain rate, 71
Shape(s):
design optimization, three-dimensional, 87
optimal free-form, 595
optimal notch, 99
Shear traction, 717
Shells, composite hyperbolic paraboloidal, 499
Shot peening, 285
Shrink-fit problem, 653

© IMechE 2004

Simulation, computer, 383
Sliding contact, 225
Slip displacement, 397
Slip, reverse, 717
Solid propellant grains, thermoviscoelastic, 117
Solution(s):
  general symbolic, 299
  limit load, 673
SOME ANALYTICAL RESULTS FOR PLANE CONTACT PROBLEMS, *Special Issue Paper*, 329
Spiral strand, 1
Stability of plate assemblies, 213
Stainless steel, AISI 316L austenitic, 71
Static strength determination, 529, 541
Steel(s), 285:
  AISI 316L austenitic stainless, 71
  bars, 447
  ferritic, 729
  pearlitic rail, 383
  stainless, 71
Stiffness, bending, 1
Strain(s), 447
  accumulation, 383
  elastic, 459
  mandibular, 291
  notch, 515
  rate sensitive behaviour, 71
STRAINS IN STEEL BARS OF REINFORCED CONCRETE ELEMENTS SUBJECTED TO REPEATED LOADS, *Paper*, 447
Strand, spiral, 1
Strength determination, static and fatigue, 529, 541
Stress(es), 437:
  analysis, 553
  -based *J* estimates, reference, 245
  biaxial, 581
  cold expansion residual, 25
  concentration, 471, 615
  concentration factor(s), 625, 685
  creep rupture criteria, multi-axial, 729
  fields, 569
  induced residual, 271
  magnitude, normal, 205
  mapping, contact, 339
  near-surface residual, 483
  notch, 515
  relaxation, residual, 663
  residual, 285
  subsurface residual, 483
  thermal, 261
STRESS CONCENTRATION AT CROSSHOLES IN THICK CYLINDRICAL VESSELS, *Paper*, 471
STRESS CONCENTRATION FACTOR AND MINIMUM HUB LENGTH PREDICTIONS FOR HOLLOW TUBES WITH INTERNAL AND EXTERNAL FLANGES SUBJECTED TO AXIAL LOADING, *Paper*, 685
STRESS CONCENTRATION FACTORS FOR AN ECCENTRIC CIRCULAR HOLE IN A FINITE-WIDTH STRIP OR IN A SEMI-INFINITE PLATE IN TENSION, *Paper*, 625
STRESSES IN ROTATING CROSS-PLY LAMINATED HOLLOW CYLINDERS WITH ARBITRARY THICKNESS, *Paper*, 437
STRESS FIELDS BY THE SYMMETRIC GALERKIN BOUNDARY ELEMENT METHOD, *Paper*, 569
Strip, 615:
  finite-width, 625
Structures, bonded, 261
Studies, computational, 117
Subsurface:
  fatigue crack faces, 161
  residual stress, 483
Surface(s):
  crack problems, semi-elliptical, 245
  cylindrical conformal, 315
Symbolic solution, general, 299
Symmetric Galerkin boundary element method, 569:
  quasi-higher-order, 147
Synchrotron X-ray diffraction technique, 459

Technique(s):
  inverse, 371
  synchrotron X-ray diffraction, 459
Tension, 625:
  axial, 673
  initial, 615
THE INFLUENCE OF INTERFACE EFFECTS ON THE ROCKING BEHAVIOUR OF GRAPHITE BLOCKS, *Special Issue Paper*, 359
Theoretical formulation, 541
Thermal stresses, 261
Thermoelastic instability, frictionally excited, 351
Thermoviscoelastic solid propellant grains, 117
Thick cylindrical vessels, 471
Thickness:
  arbitrary, 437
  criteria, 729
THICKNESS AND MULTI-AXIAL STRESS CREEP RUPTURE CRITERIA OF THE TYPE IV COMPONENT OF A FERRITIC STEEL WELD, *Paper*, 729
Thin-walled cylinders, 673
THREE-DIMENSIONAL REPRESENTATION OF NORMAL STRESS MAGNITUDE WITH APPLICATIONS TO HYDROBULGE FORMING, *Paper*, 205
THREE-DIMENSIONAL SHAPE DESIGN OPTIMIZATION OF HOLES AND CAVITIES USING THE BOUNDARY ELEMENT METHOD, *Paper*, 87
Traction, shear, 717
Transversely isotropic elastic layer, 55
Treatment, local induction heat, 271
Tubes, hollow, 685
Turning, 285
Type IV component, 729

Ultrasonic approach, 339
Uniaxial loading, 595
Unusual strain rate sensitive behaviour, 71
UNUSUAL STRAIN RATE SENSITIVE BEHAVIOUR OF AISI 316L AUSTENITIC STAINLESS STEEL, *Paper*, 71

Variable-amplitude fatigue, 707
Variations in Poisson's ratio, 117
Vessels, thick cylindrical, 471

Web region of a welded rail, 271
Welded rail, 271
Weld, ferritic steel, 729
WHAT LEVEL OF FRICTION GUARANTEES ADHESION IN A COMPLETE CONTACT?, *Technical Note*, 549

X-ray diffraction technique, synchrotron, 459

© IMechE 2004